

Material Safety Data Sheet

Page: 1 of 4

Infosafe No. LPV56 Issue Date : March 2007 ISSUED by PENRITEO

Product Name : MILD EP GEAR OIL

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name MILD EP GEAR OIL
Product Code MILD
Company Name PENRITE OIL COMPANY P/L (ABN 25005 001 525)
Address 88 Lewis Road Wantirna South
Victoria 3152 Australia
Emergency Tel. 03 9801 0877 B.H
Telephone/Fax Number Tel: 03 9801 0877
Recommended Use Gear oil

2. HAZARDS IDENTIFICATION

Hazard Classification NON-HAZARDOUS SUBSTANCE.
NON-DANGEROUS GOODS.
Hazard classification according to the criteria of NOHSC.
Dangerous goods classification according to the Australia Dangerous Goods Code.

Other Information The main constituents in this product are in accordance with Note L of the NOHSC Designated List of Hazardous Substances, the manufacturer has had the main constituents tested in accordance with IP346 and contain less than 3% polyaromatics.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Information on Composition Product contains mixture of paraffinic distillates and additives including extreme pressure agent, detergent-dispersant, pour point depressant, and antifoam agent.

| Ingredients | Name | CAS | Proportion |
|--------------------|--|--------------|-------------------|
| | Ingredients determined not to be hazardous | Not required | 100 % |

4. FIRST AID MEASURES

Inhalation If inhaled, remove from contaminated area. Apply artificial respiration if not breathing. If symptoms develop seek medical attention.

Ingestion Do NOT induce vomiting. Wash out mouth with water. If symptoms develop seek medical attention.

Skin Wash affected area thoroughly with soap and water. If symptoms develop seek medical attention.

Eye If contact with the eye(s) occurs, wash with copious amounts of water holding eyelid(s) open. Take care not to rinse contaminated water into the non-affected eye. If symptoms persist seek medical attention.

First Aid Facilities Eye wash and normal washroom facilities.

Advice to Doctor Treat symptomatically.

5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media Use foam, carbon dioxide or dry chemical.

Hazards from Combustion Products Aldehydes, ketones, combustion products of nitrogen, carbon and sulphur.

Specific Hazards Combustible liquid. This product will burn if exposed to fire.

Precautions in connection with Fire Fire-fighters should wear full protective clothing and self contained breathing apparatus (SCBA) operated in positive pressure mode. Water spray may be used to keep fire exposed containers cool.

6. ACCIDENTAL RELEASE MEASURES

Emergency Procedures Wear appropriate personal protective equipment and clothing to minimise exposure. Extinguish or remove all sources of ignition and stop leak if safe to do so. Increase ventilation. Evacuate all unnecessary personnel. If possible contain the spill. Place inert absorbent material onto spillage. Use clean non-sparking tools to collect the material and place into a suitable

Material Safety Data Sheet

Infosafe No. LPV56 Issue Date : March 2007 ISSUED by PENRITEO

Product Name : MILD EP GEAR OIL

labelled container. Do not dilute material but contain. Dispose of waste according to federal, Environmental Protection Authority and state regulations. If the spillage enters the waterways contact the Environmental Protection Authority, or your local Waste Management Authority.

7. HANDLING AND STORAGE

Precautions for Safe Handling Use in a well ventilated area. DO NOT store or use in confined spaces. Build up of mists or vapours in the atmosphere must be prevented. Avoid breathing in spray or mists or vapours. Do not use near welding or other ignition sources and avoid sparks. Do not smoke. Repeated or prolonged skin exposure without protection should be prevented in order to lessen the possibility of skin disorders. It is essential that all who come into contact with this material maintain high standards of personal hygiene ie. washing hands prior to eating, drinking, smoking or using toilet facilities.

Conditions for Safe Storage Store in a cool, dry well-ventilated area away from heat, sources of ignition, oxidising agents, foodstuffs, and clothing and out of direct sunlight. Keep containers closed when not in use and securely sealed and protected against physical damage. Inspect regularly for deficiencies such as damage or leaks. Do NOT pressurise, cut, heat or weld containers as they may contain hazardous residues. For information on the design of the storeroom, reference should be made to Australian Standard AS1940 - The storage and handling of flammable and combustible liquids. Reference should also be made to all State and Federal regulations.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

National Exposure Standards No exposure standards have been established for this material, however, the TWA National Occupational Health And Safety Commission (NOHSC) exposure standards for oil mist is 5 mg/m³. As with all chemicals, exposure should be kept to the lowest possible levels.

Biological Limit Values No biological limit allocated.

Engineering Controls Provide sufficient ventilation to keep airborne levels below the exposure limit. Where vapours or mists are generated, particularly in enclosed areas, and natural ventilation is inadequate, a local exhaust ventilation system is required. Refer to AS1940 - The storage and handling of flammable and combustible liquids and AS2430 - Explosive gas atmospheres for further information concerning ventilation requirements.

Respiratory Protection If engineering controls are not effective in controlling airborne exposure then respiratory protective equipment should be used suitable for protecting against airborne contaminants. Final choice of appropriate breathing protection is dependant upon actual airborne concentrations and the type of breathing protection required will vary according to individual circumstances. Expert advice may be required to make this decision. Reference should be made to Australian Standards AS/NZS 1715, Selection, Use and maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices.

Eye Protection Safety glasses with side shields or chemical goggles as appropriate recommended. Final choice of appropriate eye/face protection will vary according to individual circumstances i.e. methods of handling or engineering controls and according to risk assessments undertaken. Eye protection should conform with Australian/New Zealand Standard AS/NZS 1337 - Eye Protectors for Industrial Applications.

Hand Protection Wear gloves of impervious material. Final choice of appropriate gloves will vary according to individual circumstances i.e. methods of handling or according to risk assessments undertaken. Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection, use and maintenance.

Body Protection Wear appropriate clothing including chemical resistant apron where clothing is likely to be contaminated.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Yellowish/brown liquid.

Odour Not available

Melting Point Not available

Boiling Point Not available

Material Safety Data Sheet

Page: 3 of 4

| | | | |
|--------------|-------|-------------------------|--------------------|
| Infosafe No. | LPV56 | Issue Date : March 2007 | ISSUED by PENRITEO |
|--------------|-------|-------------------------|--------------------|

Product Name : **MILD EP GEAR OIL**

| | |
|----------------------------------|---|
| Solubility in Water | Negligible |
| Specific Gravity | 0.92 @ 15°C |
| pH Value | Not available |
| Vapour Pressure | Not available |
| Vapour Density (Air=1) | Not available |
| Viscosity | 23.8 cSt @ 100°C 306 cSt @ 40°C |
| Pour Point | -18°C |
| Flash Point | 254°C |
| Flammability | Classified as a Class C2 (COMBUSTIBLE LIQUID) for the purposes of storage and handling, in accordance with the requirements of AS1940. This product should be stored and used in a well ventilated area away from naked flames, sparks and other sources of ignition. |
| Auto-Ignition Temperature | Not available |
| Flammable Limits - Lower | Not available |
| Flammable Limits - Upper | Not available |

10. STABILITY AND REACTIVITY

| | |
|---|---|
| Chemical Stability | Stable under normal conditions. |
| Conditions to Avoid | Heat, direct sunlight, open flames or other sources of ignition. |
| Incompatible Materials | Strong oxidising agents. |
| Hazardous Decomposition Products | Thermal decomposition and combustion produce noxious fumes containing oxides of carbon. |
| Hazardous Reactions | Reacts with incompatibles. |
| Hazardous Polymerization | Will not occur. |

11. TOXICOLOGICAL INFORMATION

| | |
|-------------------------------|--|
| Toxicology Information | No toxicity data available for this product. |
| Inhalation | Inhalation of product vapours may cause irritation of the nose, throat and respiratory system. |
| Ingestion | Ingestion of this product may irritate the gastric tract causing nausea and vomiting. |
| Skin | May cause redness, itching and irritation. |
| Eye | May cause eye irritation, tearing, stinging, blurred vision, and redness. |
| Chronic Effects | Prolonged or repeated skin contact may lead to dermatitis. |

12. ECOLOGICAL INFORMATION

| | |
|------------------------------------|--------------------------------|
| Ecotoxicity | Not available |
| Persistence / Degradability | Not available |
| Mobility | Not available |
| Environ. Protection | Avoid contaminating waterways. |

13. DISPOSAL CONSIDERATIONS

| | |
|--------------------------------|---|
| Disposal Considerations | Dispose of waste according to federal, EPA and state regulations. |
|--------------------------------|---|

14. TRANSPORT INFORMATION

Material Safety Data Sheet

Page: 4 of 4

| | | | |
|--------------|-------|-------------------------|--------------------|
| Infosafe No. | LPV56 | Issue Date : March 2007 | ISSUED by PENRITEO |
|--------------|-------|-------------------------|--------------------|

Product Name : **MILD EP GEAR OIL**

Transport Information Not classified as a Dangerous Good, according to the Australian Code for the Transport of Dangerous Goods by Road and Rail.

Storage and Transport Not classified as dangerous.

15. REGULATORY INFORMATION

Poisons Schedule Not Scheduled

16. OTHER INFORMATION

Date of preparation or last revision of MSDS MSDS Reviewed: March 2007
MSDS Superseded: February 2006

Contact Person/Point TITLE: Technical and Marketing Director
TELEPHONE NUMBER: 03 9801 0877 B.H
...End Of MSDS...