

MC-4ST 5W-40 (100% PAO & Ester)

Product Code	Pack Size	Carton Qty
MC45W40004	4 Litres	4

Base Oil: 100% PAO & Ester Full Synthetic **Stroke:** 4
Viscosity: 5W-40 **Replacement Viscosities:** 5W-30, 10W-30

Industry & Manufacturer's Specifications: API SN/CF, JASO MA
Fuel Types: Petrol, Racing

Features: Full Zinc+, Shear Stable, Competition Proven

Penrite MC-4ST 5W-40 is a superior performance engine oil with 100% PAO & Ester, full synthetic base oils combined with the latest additive technology including FULL ZINC+ (exceeding 1800+ ppm levels) for maximum engine, gearbox and clutch protection against wear, corrosion, oil oxidation, piston deposits and sludge under all conditions. It has optimum clutch slip prevention for wet clutch systems and exceeds JASO MA requirements.



MC-4ST 10W-40 (100% PAO & Ester)

Product Code	Pack Size	Carton Qty
MC410W40001	1 Litre	6
MC410W400025	2.5 Litres	4
MC410W40004	4 Litres	4
MC410W40020	20 Litres	1
MC410W40205	205 Litres	1

Base Oil: 100% PAO & Ester Full Synthetic **Stroke:** 4
Viscosity: 10W-40 **Replacement Viscosities:** 10W-30

Industry & Manufacturer's Specifications: API SN/CF, JASO MA
Fuel Types: Petrol, Racing

Features: Full Zinc+, Shear Free, Competition Proven

Penrite MC-4ST 10W-40 is a superior performance engine oil with 100% PAO & Ester, full synthetic base oils combined with the latest additive technology including FULL ZINC+ (exceeding 1800+ ppm levels) for maximum engine, gearbox and clutch protection against wear, corrosion, oil oxidation, piston deposits and sludge under all conditions.

It is designed for use in most modern four stroke road and sports bikes, dirt and enduro bikes, ATV's/Quad bikes and four stroke scooters that require a full synthetic engine oil. It is also equally suitable for use in transmissions with wet clutch systems where engine and gearbox oils are combined. It has optimum clutch slip prevention in these systems and exceeds JASO MA requirements.

MC-4ST 10W-40 is a SHEAR FREE formulation that eliminates viscosity loss and maintains oil pressure during extreme engine operating conditions ensuring the ultimate in protection for your engine. Can be used where semi synthetic or other types of oils are specified by the manufacturer including where SAE 10W-30 & SAE 10W-40 grade oils are recommended such as in Aprilia, BMW, Cagiva, Can-Am, Ducati, Honda, Hyosung, Kawasaki, Suzuki, Triumph, Yamaha and more.



MC-4ST 10W-60 (100% PAO & Ester)

Product Code	Pack Size	Carton Qty
MC410W60001	1 Litre	6
MC410W60004	4 Litres	4

Base Oil: 100% PAO & Ester Full Synthetic **Stroke:** 4
Viscosity: 10W-60 **Replacement Viscosities:** 10W-50, 15W-50

Industry & Manufacturer's Specifications: API SN/CF, JASO MA
Fuel Types: Petrol, Racing

Features: Full Zinc+, Latest Oil Technology, Competition Proven

Penrite MC-4ST 10W-60 is a superior performance engine oil with 100% PAO & Ester, full synthetic base oils combined with the latest additive technology including FULL ZINC+ (exceeding 1800+ ppm levels) for maximum engine, gearbox and clutch protection against wear, corrosion, oil oxidation, piston deposits and sludge under all conditions. It has optimum clutch slip prevention for wet clutch systems and exceeds JASO MA requirements.



MC-4ST 15W-50 (100% PAO & Ester)

Product Code	Pack Size	Carton Qty
MC415W50001	1 Litre	6
MC415W500025	2.5 Litres	4
MC415W50004	4 Litres	4
MC415W50020	20 Litres	1
MC415W50205	205 Litres	1



Base Oil: 100% PAO & Ester Full Synthetic **Stroke:** 4
Viscosity: 15W-50 **Replacement Viscosities:** 15W-40, 20W-40

Industry & Manufacturer's Specifications: API SN/CF, JASO MA
Fuel Types: Petrol, Racing
Features: Full Zinc+, Shear Free, Competition Proven

Penrite MC-4ST 15W-50 is a superior performance engine oil with 100% PAO & Ester, full synthetic base oils combined with the latest additive technology including FULL ZINC+ (exceeding 1800+ ppm levels) for maximum engine, gearbox and clutch protection against wear, corrosion, oil oxidation, piston deposits and sludge under all conditions.

It is designed for use in most modern four stroke road and sports bikes, dirt and enduro bikes, ATV's/Quad bikes and four stroke scooters that require a full synthetic engine oil. It is also equally suitable for use in transmissions with wet clutch systems where engine and gearbox oils are combined. It has optimum clutch slip prevention in these systems and exceeds JASO MA requirements.

MC-4ST 15W-50 is a SHEAR FREE formulation that eliminates viscosity loss and maintains oil pressure during extreme engine operating conditions ensuring the ultimate in protection for your engine. Can be used where semi synthetic or other types of oils are specified by the manufacturer including where SAE 15W-40, SAE 20W-40 & SAE 15W-50 grade oils are recommended such as in Aprilia, BMW, Honda, Kawasaki, KTM, Moto Guzzi, Suzuki, V Moto, Yamaha and more.



MC-4ST V-TWIN 20W-50 (100% PAO & Ester)

Product Code	Pack Size	Carton Qty
MC4VT20W50001	1 Litre	6
MC4VT20W50004	4 Litres	4

Base Oil: 100% PAO & Ester Full Synthetic **Stroke:** 4
Viscosity: 20W-50 **Replacement Viscosities:** 20W-40

Industry & Manufacturer's Specifications: API SN/CF, JASO MA
Fuel Types: Petrol, Racing
Features: Full Zinc+, Shear Free, Competition Proven

Penrite MC-4ST V-TWIN 20W-50 is a premium 100% PAO & Ester, full synthetic, SAE 20W-50, non-friction modified four stroke engine oil. It contains a superior anti wear package of FULL ZINC+ (exceeding 1800+ ppm levels) for ultimate engine, gearbox and clutch protection against wear, corrosion, oil oxidation, piston deposits and sludge under all conditions. It uses a SHEAR FREE formulation that eliminates viscosity loss. It has optimum clutch slip prevention for wet clutch systems and exceeds JASO MA requirements.



MC-4ST Full Synthetic 10W-40

Product Code	Pack Size	Carton Qty
MC4FULL10004	4 Litres	4
MC4FULL10020	20 Litres	1
MC4FULL10205	205 Litres	1

Base Oil: Full Synthetic **Stroke:** 4
Viscosity: 10W-40 **Replacement Viscosities:** 10W-30

Industry & Manufacturer's Specifications: API SN/CF, JASO MA
Fuel Types: Petrol, Racing
Features: Full Zinc, Shear Stable, Latest Oil Technology

Penrite MC-4ST Full Synthetic 10W-40 is a premium full synthetic, SAE 10W-40, non friction modified, four stroke engine oil. It contains a superior anti wear package of FULL ZINC (exceeding 1200+ ppm levels) for ultimate engine, gearbox and clutch protection combined with the latest engine oil technology that provides protection against wear, corrosion, oil oxidation, piston deposits and sludge under all conditions. It has optimum clutch slip prevention for wet clutch systems and exceeds JASO MA requirements.



MC-4ST Semi Synthetic 10W-30

Product Code	Pack Size	Carton Qty
MC4SEMI10W30001	1 Litre	6
MC4SEMI10W300025	2.5 Litres	4
MC4SEMI10W30004	4 Litres	4

Base Oil: Semi Synthetic **Stroke:** 4
Viscosity: 10W-30

Industry & Manufacturer's Specifications: API SL/CF, JASO MA
Fuel Types: Petrol, Racing
Features: Outstanding Engine & Gearbox Protection

Penrite MC-4ST Semi Synthetic 10W-30 is a premium semi synthetic, SAE 10W-30, non-friction modified, four stroke engine oil. It contains a superior anti wear package of FULL ZINC (exceeding 1000+ ppm) for ultimate engine, gearbox and clutch protection and semi synthetic base oils for outstanding high temperature protection and maximum performance. It has optimum clutch slip prevention for wet clutch systems and exceeds JASO MA requirements.



MC-4ST Semi Synthetic 10W-50

Product Code	Pack Size	Carton Qty
MC410W50001	1 Litre	6
MC410W500025	2.5 Litres	4
MC410W50004	4 Litres	4
MC410W50004	20 Litres	1
MC410W50004	205 Litres	1

Base Oil: Semi Synthetic **Stroke:** 4
Viscosity: 10W-50 **Replacement Viscosities:** 10W-40, 15W-40

Industry & Manufacturer's Specifications: API CH-4/SL, JASO MA
Fuel Types: Petrol, Racing
Features: Full Zinc, Shear Stable, Competition Proven

Penrite MC-4ST Semi Synthetic 10W-50 is a premium semi synthetic, SAE 10W-50, non friction modified, four stroke engine oil. It contains a superior anti wear package of FULL ZINC (exceeding 1200+ ppm) for ultimate engine, gearbox and clutch protection. It also features a higher operating temperature viscosity for greater protection in the harshest of on and off road conditions. It has optimum clutch slip prevention for wet clutch systems and exceeds JASO MA requirements.



MC-4ST Semi Synthetic 15W-50

Product Code	Pack Size	Carton Qty
MC4SEMI15004	4 Litres	6
MC4SEMI15020	20 Litres	4
MC4SEMI15205	205 Litres	4

Base Oil: Semi Synthetic **Stroke:** 4
Viscosity: 15W-50 **Replacement Viscosities:** 15W-40, 20W-40

Industry & Manufacturer's Specifications: API CI-4/SL, JASO MA
Fuel Types: Petrol, Racing
Features: Full Zinc, Shear Stable, Competition Proven

Penrite MC-4ST Semi Synthetic 15W-50 is a premium semi synthetic, SAE 15W-50, non friction modified, four stroke engine oil. It contains a superior anti wear package of FULL ZINC (exceeding 1200+ ppm) for ultimate engine, gearbox and clutch protection. It also features a higher operating temperature viscosity for greater protection in the harshest of on and off road conditions. It has optimum clutch slip prevention for wet clutch systems and exceeds JASO MA requirements.



MC-4ST Premium Mineral 15W-50

Product Code	Pack Size	Carton Qty
MC4MIN15001	1 Litre	6
MC4MIN15004	4 Litres	4
MC4MIN15020	20 Litres	1
MC4MIN15020	205 Litres	1

Base Oil: Premium Mineral **Stroke:** 4
Viscosity: 15W-50 **Replacement Viscosities:** 15W-40, 20W-40

Industry & Manufacturer's Specifications: API CG-4/SL, JASO MA
Fuel Types: Petrol, Racing
Features: Full Zinc, Shear Stable, Competition Proven

Penrite MC-4ST Premium Mineral 15W-50 is a premium mineral, SAE 15W-50, non friction modified, four stroke engine oil. It contains a superior anti wear package of FULL ZINC for (exceeding 1200+ ppm levels) ultimate engine, gearbox and clutch protection. It also features a higher operating temperature viscosity for greater protection in the harshest of on and off road conditions. It has optimum clutch slip prevention for wet clutch systems and exceeds JASO MA requirements.



MC-4ST Premium Mineral 20W-50

Product Code	Pack Size	Carton Qty	Base Oil: Premium Mineral	Stroke: 4	Viscosity: 20W-50	Replacement Viscosities: 20W-40, SAE 30
MC420W50001	1 Litre	6				
MC420W50004	4 Litres	4				
MC420W50020	20 Litres	1				
MC420W50205	205 Litres	1				

Industry & Manufacturer's Specifications: API CG-4/SL, JASO MA
Fuel Types: Petrol Racing
Features: Full Zinc, Shear Stable, Competition Proven

Penrite MC-4ST Premium Mineral 20W-50 is a premium mineral, SAE 20W-50, non friction modified, four stroke engine oil. It contains a superior anti wear package of FULL ZINC for (exceeding 1200+ ppm levels) ultimate engine, gearbox and clutch protection. It also features a higher operating temperature viscosity for greater protection in the harshest of on and off road conditions. It has optimum clutch slip prevention for wet clutch systems and exceeds JASO MA requirements.



MC-4ST Premium Mineral HD-50

Product Code	Pack Size	Carton Qty	Base Oil: Premium Mineral	Stroke: 4	Viscosity: SAE 50	Replacement Viscosities: SAE 40
MC4HD50004	4 Litres	4				
MC4HD50020	20 Litres	1				
MC4HD50205	205 Litres	1				

Industry & Manufacturer's Specifications: API SG/CD
Fuel Types: Petrol, Racing
Features: Full Zinc, Extends Engine Life, Competition Proven

Penrite MC-4ST Premium Mineral HD-50 is a premium mineral, SAE 50, non friction modified, four stroke engine oil. It contains a superior anti wear package of FULL ZINC for (exceeding 1300+ ppm levels) ultimate engine, gearbox and clutch protection. It also features a higher operating temperature viscosity for greater protection in the harshest of on and off road conditions. It has optimum clutch slip prevention for wet clutch systems.



Visit our website at www.penriteoil.com

Enduro 25W-70 (Classic Range)

Product Code	Pack Size	Carton Qty
END004	4 Litres	4
END020	20 Litres	1


Base Oil: Premium Mineral **Stroke:** 4
Viscosity: 25W-70 **Replacement Viscosities:** 25W-60, SAE 40/50

Industry & Manufacturer's Specifications: API SG

Fuel Types: Petrol, Racing

Features: High Zinc, Extends Engine Life, Competition Proven

Penrite Enduro is a premium, high performance mineral, 25W-70, non friction modified, four stroke engine oil. It contains a superior anti wear package of HIGH ZINC (exceeding 1750+ ppm levels) for ultimate engine, gearbox and clutch protection and a multi-grade viscosity designed to maintain oil pressure and consumption control for older and classic motorcycles. It has optimum clutch slip prevention for wet clutch systems.



HD Oil 50-70 (Classic Range)

Product Code	Pack Size	Carton Qty
HD004	4 Litres	4

Base Oil: Premium Mineral **Stroke:** 4
Viscosity: 50-70 **Replacement Viscosities:** SAE 50/60

Industry & Manufacturer's Specifications: API SF

Fuel Types: Petrol, Racing

Features: High Zinc, Extends Engine Life, Competition Proven

Penrite HD Oil is a premium, heavy duty, high performance mineral, 50-70, non friction modified, four stroke engine oil. It contains a superior anti wear package of HIGH ZINC (exceeding 1750+ ppm levels) for ultimate engine, gearbox and clutch protection and a multi-grade viscosity designed to maintain oil pressure and consumption control for older and classic motorcycles. It has optimum clutch slip prevention for wet clutch systems.



MC-2ST Full Synthetic

Product Code	Pack Size	Carton Qty
MC2FULLSYN001CP	1 Litre CP	6
MC2FULLSYN004	4 Litres	4
MC2FULLSYN020	20 Litres	1


Base Oil: Full Synthetic **Stroke:** 2
Colour: Deep Red

Industry & Manufacturer's Specifications: API-TC, JASO FD, ISO EG-D, Piaggio Hexagon (performance), Aprilia DiTechSR50 (performance)

Fuel Types: Petrol/E10

Features: Extends Engine Life, Superior Anti-Scuff Properties

Penrite MC-2ST Full Synthetic 2 Stroke Oil is a premium full synthetic, ester based two stroke engine oil for maximum power and protection in motorbikes, go karts, Sea Doo jet skis and in other severe two stroke applications. It uses a powerful, practically ashless, clean burning, high performance additive package for maximum lubricity and low piston deposits. It is suitable for use in all two stroke engines used in motorcycles on road or in competition, using either a premix or oil injection system. Ideal for the latest direct injection engines. Also suitable for use in lawn mowers, chain saws, and whipper snippers.



MC-2ST Semi Synthetic

Product Code	Pack Size	Carton Qty
MC2SEMISYN001CP	1 Litre CP	6

Base Oil: Semi Synthetic **Stroke:** 2
Colour: Red/Orange

Industry & Manufacturer's Specifications: API TC, JASO FC, ISO EG-C

Fuel Types: Petrol/E10


Features: Extends Engine Life, Superior Anti-Scuff Properties

Penrite MC-2ST Semi Synthetic 2 Stroke Oil is a low-smoke, semi synthetic, high performance oil for motorbikes, go karts, Sea-Doo jet skis and in other severe two stroke applications. It is made from highly refined base oils and special synthetic additives. Suitable for use in two stroke lawn mowers, chain saws, whipper snippers and other garden equipment.






10 Tenths KO2ST Karting **NEW**

Product Code	Pack Size	Carton Qty	Base Oil: Full Synthetic	Stroke: 2
KO2ST001	1 Litre	6	Industry & Manufacturer's Specifications: API TC, JASO FD, ISO EG-D, Karting Australia Approved Lubricant Fuel Types: Racing, Petrol/E10 Features: Extends Engine Life, Superior Anti-Scuff Properties	
<p>Penrite 10 Tenths KO2ST Karting is a premium full synthetic, ester based two-stroke engine oil engineered specifically for elite Kart Racing. It is designed to provide maximum power and protection in all performance two stroke engines. It uses an advanced, powerful, virtually ashless, clean burning, high performance additive package for maximum lubricity and ultra-low carbon and piston deposits. It has been Approved by Karting Australia for use as an engine oil in Go-Karts.</p>				

Motorcycle Gear Oil (MC GO)

Product Code	Pack Size	Carton Qty	Base Oil: Premium Mineral	Viscosity: 10W-40
MCGO80001	1 Litre	6	Replacement Viscosities: 10W-30, 15W-40, 80W-85, SAE 80	
<p>Industry & Manufacturer's Specifications: API GL-4, ZF TE-ML 06A, Ford M2C159-B</p> <p>Penrite Motorcycle Gear Oil (MC GO) is a premium mineral, high performance, SAE 10W-40, API GL-4 gear oil, specially formulated for separate gearboxes used in two stroke and four stroke motorcycles including ATV's. It is especially suitable in gearboxes that have oil immersed clutches. Suitable for use where the manufacturer asks for an API GL-4 gear oil.</p>				

MC Fork Oil 5, 10 & 15

Product Code	Pack Size	Carton Qty	Base Oil: Full Synthetic	Viscosity: SAE 5W, 10W & 15W
MC Fork Oil 5			<p>Penrite MC Fork Oil 5, 10 & 15 are full synthetic, very high viscosity index fluids made from a special combination of synthetic base oils, viscosity modifiers, anti-wear agents and extreme pressure additives. They are compatible with brass, copper alloys and seal materials. MC Fork Oil 5, 10 & 15 are recommended for use in motorcycle forks and other suspension systems.</p>	
MCFO05001	1 Litre	6		
MCFO05020	20 Litres	1		
MC Fork Oil 10				
MCFO10001	1 Litre	6		
MCFO10020	20 Litres	1		
MC Fork Oil 15				
MCFO15001	1 Litre	6		Visit our website at www.penriteoil.com

Chain Lube Road

Product Code	Pack Size	Carton Qty
--------------	-----------	------------

MCCHAIN0004 400 Millilitres 6

Base Oil: Full Synthetic

Penrite Chain Lube Road is a 100% full synthetic, spray on high performance chain lubricant engineered for all chain drive applications. It has exceptional sticking tenacity and is engineered not to fling off the chain. It provides outstanding anti-wear and anti-corrosion properties whilst lowering friction between the chain and sprockets.



10 Tenths Chain Lube Race

Product Code	Pack Size	Carton Qty
--------------	-----------	------------

MCRCL0005 500 Millilitres 6

Base Oil: Full Synthetic

Penrite 10 Tenths Chain Lube Race is a 100% full synthetic, spray on ultra-high performance chain lubricant engineered for competition and off road machines. Designed not to fling off in racing applications or attract excessive amounts of mud in off road machines, it provides exceptional anti-wear and anti-corrosion properties whilst maximising drive efficiency by lowering friction between the chain and sprockets.



10 Tenths Chain Cleaner

Product Code	Pack Size	Carton Qty
--------------	-----------	------------

MCACC0004 400 Millilitres 6

Colour: Clear

Penrite 10 Tenths Chain Cleaner is a professional strength, solvent based motorcycle chain cleaner that rapidly dissolves chain lubricants such as grease, waxes, oil, silicone and other lubricating solids and fluids used on motorcycle drive chains. Its non chlorinated, non corrosive and non staining formulation is fast, effective, convenient and easier to use than conventional solvents.



10 Tenths Foam Filter Oil **NEW**

Product Code	Pack Size	Carton Qty
--------------	-----------	------------

MCFOAM0004 400 Millilitres 6
MCFOAM001 1 Litres 6

Colour: Blue

Penrite 10 Tenths Foam Filter Oil is a blue coloured, solvent based, super tacky foam filter treatment which effectively stops the ingress of sand, dirt and dust into the engine. It is ideal for use in competition applications, (on and off road) including severe racing conditions where large volumes of air flows through the engine intake system. May be used in all types of vehicles including passenger, 4WDs, racing and rally cars, motocross and on-road bikes, ATVs etc, both in competition and every day service. It is available as a liquid and aerosol spray. It is dyed blue for easy identification of coverage during application.



10 Tenths Foam Filter Cleaner

Product Code	Pack Size	Carton Qty
--------------	-----------	------------

MCFFC001 1 Litre 6

Colour: White

Penrite 10 Tenths Foam Filter Cleaner is a specially formulated product, for cleaning motorcycle foam filters. It is a ready to use, non caustic and water soluble cleaner that effectively removes trapped dirt, tacky filter oil, grease and other contaminants from foam filters and washes away thoroughly. Its advanced formulation cleans effectively and prevents deterioration of the foam ensuring longer filter life. It does not leave harmful deposits or residue that could rust or corrode engine parts or damage the engine via inhalation.

